



**PART
TWO**

www.worcetools.com



**New
Products**

**PROFESSIONAL
PNEUMATIC
TOOLS**

Made in Taiwan

New Products



WX-0520 2" Mini Angle Grinder

- Free Speed : 15,000 RPM
- Power : 0.25 HP (0.19 Kw)
- Air Consumption : 106 L/Min
- Length : 125 mm
- Weight : 0.36 Kg



WX-0512 2" Angle Grinder

- Free Speed : 22,000 RPM
- Power : 0.25 HP (0.19 Kw)
- Spindle : 3/8"
- Weight : 0.53 Kg



WX-0540 2" Angle Grinder

- Free Speed : 15,000 RPM
- Spindle : M12
- Weight : 0.7 Kg



WX-0541 2" Angle Grinder

- Free Speed : 15,000 RPM
- Spindle : M12
- Weight : 0.7 Kg



WX-0574 2" Angle Grinder, Gearless

- Free Speed : 20,000 RPM
- Power : 0.45 HP (0.33 Kw)
- Angle : 105 degree
- Spindle Size : 3/8" x 24
- Weight : 0.69 Kg
- WX-0578 - do - Speed 8,000 RPM



WX-2251 3" Straight Grinder

- Free Speed : 13,500 RPM
- Wheel : 75 x 9.5 x 13 mm
- Spindle : 3/8" x 20 UNF
- Air Inlet : 1/4"
- Length : 338 mm
- Weight : 1.67 Kg



WX-0534 3" Straight Grinder

- Free Speed : 11,000 RPM
- Wheel : 75 x 9.5 x 13 mm
- Spindle : 3/8" x 24 UNF
- Power : 0.8 HP (0.6 Kw)
- L x Dia : 430 x 53 mm
- Weight : 2.0 Kg

WX-0533 Roll Switch Type



WX-2231 65mm Straight Grinder

- Free Speed : 16,000 RPM
- Wheel : 65 x 9.5 x 13 mm
- Spindle : 3/8" x 16
- Air Inlet : 3/8"
- Air Consumption : 500 L/Min
- Weight : 1.25 Kg

WX-2230 - do - Roll Switch Type



WX-0524 6" Straight Grinder

- Free Speed : 5,700 RPM
- Wheel : 150 x 32 x 25 mm
- Air Inlet : 1/2"
- Length : 500 mm
- Weight : 5.16 Kg

New Products

NEW

WX-0514 3 IN 1 Micro Angle Grinder

- Free Speed : 22,000 RPM
- Pad Size : 30 mm
- Dia x Length : 16.5 x 136 mm
- Weight : 0.20 Kg

WX-0529 3 IN 1 Micro Angle Grinder

- Free Speed : 21,500 RPM
- Pad Size : 30 mm
- Dia Length : 16.5 x 136 mm
- Weight : 0.20 Kg



WX-0572

- Free Speed : 22,000 RPM
- Pad Size : 30 mm
- Dia Length : 16.5 x 136 mm
- Weight : 0.20 Kg
- >> 2 Functions : Grinder, Sander



WX-0590 9" Vertical Grinder

- Free Speed : 6,000 RPM
- Power : 5.9 HP (4.4 Kw)
- Air Consumption : 2100 L/Min
- Grinding Disc : 230 x 10 x 22.2 mm
- Hose Size : 3/4" (19 mm)
- Weight : 5.8 Kg

- WX-0593 - do** - Free Speed 4,500 RPM
- Power : 4.4 HP (3.3 Kw)
- Spindle : 5/8" - 11



WX-0594 9" Vertical Grinder

- Free Speed : 6,000 RPM
- Power : 5.9 HP (4.4 Kw)
- Air Consumption : 2100 L/Min
- Cup Wheel : 150 x 50 x 22 mm
- Hose Size : 3/4" (19 mm)
- Weight : 5.9 Kg

- WX-0595 - do** - Free Speed 4,500 RPM
- Power : 4.4 HP (3.3 Kw)
- Spindle : 5/8" - 11

New Products



WX-2227 Die Grinder

- Free Speed : 30,000 RPM
- Collet Size : 1/8" or 3 mm
- Power : 0.25 HP (0.19 Kw)
- Run-out : 0.05 mm
- Dia x Length : 33 x 148 mm
- Exhaust : Side Exhaust
- Weight : 0.45 Kg

WX-2226 - do - Safety Lever Type



WX-2234 Die Grinder

- Free Speed : 18,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.55 HP (0.41 Kw)
- Run-out : 0.05 mm
- Dia x Length : 38 x 180 mm
- Exhaust : Side Exhaust
- Weight : 0.81 Kg

WX-2235 - do - Safety Lever Type

NEW



WX-0591 XL Ext Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.08 mm
- Dia x Length : 36 x 306 mm
- Exhaust : Side Exhaust
- Weight : 0.9 Kg
- Air Consumption : 400 L/Min



WX-0591W Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.05 mm
- Dia x Length : 36 x 184 mm
- Exhaust : Side Exhaust
- Weight : 0.78 Kg



WX-2250 Ext Die Grinder

- Free Speed : 13,500 RPM
- Collet Size : 6 or 8 mm
- Max Run-out : 0.15 mm
- Length : 375 mm
- Exhaust : Rear
- Weight : 1.74 Kg
- Air Consumption : 200 L/Min



WX-2236 Die Grinder

- Free Speed : 22,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.45 HP (0.33 Kw)
- Air Consumption : 450 L/Min
- Length : 165 mm
- Exhaust : Front
- Weight : 0.6 Kg

WX-2237 - do - Safety Lever Type



WX-2228 Die Grinder

- Free Speed : 16,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.65 HP (0.49 Kw)
- Max Run-out : 0.12 mm
- Dia x Length : 48 x 300 mm
- Exhaust : Side Exhaust
- Weight : 1.29 Kg
- Air Consumption : 500 L/Min



WX-0592 Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.05 mm
- Dia x Length : 36 x 173 mm
- Exhaust : Side Exhaust
- Weight : 0.66 Kg



WX-2229 Die Grinder

- Free Speed : 16,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.65 HP (0.49 Kw)
- Max Run-out : 0.12 mm
- Dia x Length : 48 x 350 mm
- Exhaust : Side Exhaust
- Weight : 1.6 Kg



WX-2701 Die Grinder

- Free Speed : 25,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.5 HP (0.37 Kw)
- Noise Level : 85 dBA
- Length : 156 mm
- Exhaust : Rear
- Weight : 0.84 Kg

New Products

New Products



WX-2227 Die Grinder

- Free Speed : 30,000 RPM
- Collet Size : 1/8" or 3 mm
- Power : 0.25 HP (0.19 Kw)
- Run-out : 0.05 mm
- Dia x Length : 33 x 148 mm
- Exhaust : Side Exhaust
- Weight : 0.45 Kg

WX-2226 - do - Safety Lever Type



WX-0591W Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.05 mm
- Dia x Length : 36 x 184 mm
- Exhaust : Side Exhaust
- Weight : 0.78 Kg

NEW



WX-0591 XL Ext Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.08 mm
- Dia x Length : 36 x 306 mm
- Exhaust : Side Exhaust
- Weight : 0.9 Kg
- Air Consumption : 400 L/Min



WX-2228 Die Grinder

- Free Speed : 16,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.65 HP (0.49 Kw)
- Max Run-out : 0.12 mm
- Dia x Length : 48 x 300 mm
- Exhaust : Side Exhaust
- Weight : 1.29 Kg
- Air Consumption : 500 L/Min



WX-2234 Die Grinder

- Free Speed : 18,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.55 HP (0.41 Kw)
- Run-out : 0.05 mm
- Dia x Length : 38 x 180 mm
- Exhaust : Side Exhaust
- Weight : 0.81 Kg

WX-2235 - do - Safety Lever Type



WX-2229 Die Grinder

- Free Speed : 16,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.65 HP (0.49 Kw)
- Max Run-out : 0.12 mm
- Dia x Length : 48 x 350 mm
- Exhaust : Side Exhaust
- Weight : 1.6 Kg



WX-2250 Ext Die Grinder

- Free Speed : 13,500 RPM
- Collet Size : 6 or 8 mm
- Max Run-out : 0.15 mm
- Length : 375 mm
- Exhaust : Rear
- Weight : 1.74 Kg
- Air Consumption : 200 L/Min



WX-2701 Die Grinder

- Free Speed : 25,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.5 HP (0.37 Kw)
- Noise Level : 85 dBA
- Length : 156 mm
- Exhaust : Rear
- Weight : 0.84 Kg



WX-0592 Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.05 mm
- Dia x Length : 36 x 173 mm
- Exhaust : Side Exhaust
- Weight : 0.66 Kg



WX-0592 Die Grinder

- Free Speed : 24,000 RPM
- Collet Size : 1/4" or 6 mm
- Power : 0.4 HP (0.3 Kw)
- Run-out : 0.05 mm
- Dia x Length : 36 x 173 mm
- Exhaust : Side Exhaust
- Weight : 0.66 Kg

New Products

NEW



WX-1850 Tapping Tool, Cap M8

- Tapping Cup : M3 - M8
 - Free Speed : 700 RPM
 - Max Torque : 2.5 Kg-m
 - Noise Level : 78 dBA
 - Air Inlet : 1/4"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 5HP (3.7 Kw)
 - Dia x Length : 38 x 265 mm
 - Weight : 1.56 Kg
- Tool Exclude Collet



WX-1853 Tapping Tool, Cap M20

- Tapping Cup : M10 - M20
 - Free Speed : 205 RPM
 - Max Torque : 6.37 Kg-m
 - Noise Level : 78 dBA
 - Air Inlet : 3/8"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 10HP (7.5 Kw)
 - Dia x Length : 61 x 365 mm
 - Weight : 4.15 Kg
- Tool Exclude Collet



WX-1851 Tapping Tool, Cap M12

- Tapping Cup : M5 - M12
 - Free Speed : 400 RPM
 - Max Torque : 3.1 Kg-m
 - Noise Level : 78 dBA
 - Air Inlet : 1/4"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 5HP (3.7 Kw)
 - Dia x Length : 38 x 265 mm
 - Weight : 1.54 Kg
- Tool Exclude Collet



WX-1854 Tapping Tool, Cap M22

- Tapping Cup : M12 - M22
 - Free Speed : 215 RPM
 - Max Torque : 6.5 Kg-m
 - Noise Level : 81 dBA
 - Air Inlet : 3/8"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 10HP (7.5 Kw)
 - Dia x Length : 61 x 365 mm
 - Weight : 4.15 Kg
- Tool Exclude Collet



WX-1852 Tapping Tool, Cap M16

- Tapping Cup : M8 - M16
 - Free Speed : 250 RPM
 - Max Torque : 4.78 Kg-m
 - Noise Level : 78 dBA
 - Air Inlet : 3/8"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 10HP (7.5 Kw)
 - Dia x Length : 61 x 365 mm
 - Weight : 4.09 Kg
- Tool Exclude Collet




WX-1855 Tapping Tool, Cap M24

- Tapping Cup : M14 - M24
 - Free Speed : 100 RPM
 - Max Torque : 9.5 Kg-m
 - Noise Level : 81 dBA
 - Air Inlet : 3/8"
 - Working Pressure : 90-120 psi (6.2-8 bar)
 - Recom Compressor : 10HP (7.5 Kw)
 - Dia x Length : 61 x 400 mm
 - Weight : 4.28 Kg
- Tool Exclude Collet



WX-40-07A Parallel Arm set, Max 70 cm
Suitable for Tool WX-1850 / 1851
 - Working Area : Max Radius 70 cm Incl
 - 1 pc x 40 cm Parallel Arm for Vertical Tapping
 - 1 pc x 30 cm Swivel Arm
 - 1 pc x Fixed Bench set
 - 1 pc x Air Clean Unit
 - 1 pc x Clamp for WX-1850 / 1851
WX-40-07B - do - Suitable for Tool
WX-1852 / 1853 / 1854 / 1855

WX-42-16A Parallel Arm set, Max 160 cm
Suitable for Tool WX-1850 / 1851
 - Working Area : Max Radius 160 cm Incl
 - 1 pc x 160 cm Parallel Arm for Vertical Tapping
 - 1 pc x 30 cm Swivel Arm
 - 1 pc x Fixed Bench set
 - 1 pc x Air Clean Unit
 - 1 pc x Clamp for WX-1850 / 1851
WX-42-16B - do - Suitable for Tool
WX-1852 / 1853 / 1854 / 1855



WX-41-14A Parallel Arm set, Max 140 cm
Suitable for Tool WX-1850 / 1851
 - Working Area : Max Radius 140 cm Incl
 - 1 pc x 110 cm Parallel Arm for Vertical Tapping
 - 1 pc x 30 cm Swivel Arm
 - 1 pc x Fixed Bench set
 - 1 pc x Air Clean Unit
 - 1 pc x Clamp for WX-1850 / 1851
WX-41-14B - do - Suitable for Tool
WX-1852 / 1853 / 1854 / 1855

WX-43-19A Parallel Arm set, Max 190 cm
Suitable for Tool WX-1850 / 1851
 - Working Area : Max Radius 190 cm Incl
 - 1 pc x 160 cm Parallel Arm for Vertical Tapping
 - 1 pc x 30 cm Swivel Arm
 - 1 pc x Fixed Bench set
 - 1 pc x Air Clean Unit
 - 1 pc x Clamp for WX-1850 / 1851
WX-43-19B - do - Suitable for Tool
WX-1852 / 1853 / 1854 / 1855



WX-0158 Sand Rammer

- Free Speed : 1,500 RPM
- Piston Dia : 18 mm
- Stroke : 70 mm
- Length : 280 mm
- Weight : 1.6 Kg



WX-0580 Engraving Stylus

- Free Speed : 34,000 RPM
- Stroke : 1.2 mm
- Length : 150 mm
- Weight : 0.22 Kg



WX-0581 Engraving Stylus

- Free Speed : 3,500 RPM
- Length : 160 mm
- Weight : 0.19 Kg
- Working Pressure : 60 psi - 90 psi
(4 bar - 6.2 bar)



WX-0731 Ratchet Wrench

- Capacity : 6 mm
- Catcher (Option) : 6,7,8,9,10,11,12 mm
- Free Speed : 120 RPM
- Torque : 10 Nm
- Length : 280 mm
- Net Weight : 1.3 Kg



WX-0732 Ratchet Wrench

- Capacity : 8 mm
- Catcher (Option) : 10,11,12,13,14 mm
- Free Speed : 170 RPM
- Torque : 25 Nm
- Length : 330 mm
- Net Weight : 1.8 Kg



WX-0773 1/2" Angle Impact Wrench

- Mechanism : Two Hammer
- Free Speed : 4,000 RPM
- Max Torque : 290 ft.lb (394 Nm)
- Weight : 5.1 Kg



WX-0774 1/2" Impact Wrench

- Mechanism : Two Hammer
- Free Speed : 4,500 RPM
- Max Torque : 390 ft.lb (529 Nm)
- Weight : 3.4 Kg



WX-0896M
Air Hydraulic Nut Riveter, Semi-Auto
 - Capacity : M4 - M10 Steel
 M4 - M8 S. St
 - Traction Power : 1650 Kgf
 - Stroke : 6 mm
 - Air Consumption : 1.5 l/cycle
 - Height x Width : 270 x 190 mm
 - Net Weight : 1.55 Kg

NEW



WX-0887 Air Hydraulic Riveter
 - Capacity : 4.0mm (5/32") Steel
 3.2mm (1/8") S. St
 - Traction Power : 695 Kgf
 - Stroke : 17 mm
 - Air Consumption : 0.68 l/cycle
 - Height x Width : 235 x 145 mm
 - Net Weight : 1.05 Kg



WX-0883 Air Hydraulic Riveter
 - Capacity : 4.8 mm (3/16"), 6.4 mm (1/4")
 Monobolts & T-rivets
 - Traction Power : 1746 Kgf
 - Stroke : 18 mm
 - Air Consumption : 2.9 l/cycle
 - Height x Width : 298 x 170 mm
 - Net Weight : 1.75 Kg

Worce



WX-0887V Air Hydraulic Riveter
 - Capacity : 4.0mm (5/32") Steel
 3.2mm (1/8") S. St
 - Traction Power : 695 Kgf
 - Stroke : 6 mm
 - Air Consumption : 0.68 l/cycle
 - Height x Width : 235 x 145 mm
 - Net Weight : 1.05 Kg



WX-0884 Air Hydraulic Riveter
 - Capacity : 8.0 mm (5/16") Steel
 6.4 mm (1/4") S. St
 - Traction Power : 1860 Kgf
 - Stroke : 23 mm
 - Air Consumption : 2.9 l/cycle
 - Height x Width : 230 x 280 mm
 - Net Weight : 3.0 Kg
 Suitable for Monobolts, T-rivets & Magna-lok



WX-0887V-18 Air Hydraulic Riveter
 - Capacity : 4.0mm (5/32") Steel
 3.2mm (1/8") S. St
 - Traction Power : 695 Kgf
 - Stroke : 17 mm
 - Air Consumption : 0.68 l/cycle
 - Height x Width : 235 x 145 mm
 - Net Weight : 1.15 Kg



WX-0885
Air Hydraulic Lockbolt Tools
 - Capacity : 6.4mm (1/4") Steel
 6.4mm (1/4") S. St
 - Traction Power : 1860 Kgf
 - Stroke : 23 mm
 - Air Consumption : 2.9 l/cycle
 - Height x Width : 330 x 275 mm
 - Net Weight : 2.9 Kg

New Products



Air Caulking Gun. (For Cartridge only)

WX-0835A-06

- Alum Tube : 50.5 x 210 mm L
- Capacity : 9 oz (310 ml)
- Weight : 0.8 Kg

WX-0835A-11

- Alum Tube : 50.5 x 260 mm L
- Capacity : 11 oz (400 ml)
- Weight : 0.9 Kg

WX-0835A-13

- Alum Tube : 50.5 x 310 mm L
- Capacity : 13 oz (500 ml)
- Weight : 1.0 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



NEW

Air Caulking Gun. (For Cartridge only)

WX-0864A-09

- Alum Tube : 50.5 x 210 mm L
- Capacity : 9 oz (310 ml)
- Weight : 0.7 Kg

WX-0864A-11

- Alum Tube : 50.5 x 260 mm L
- Capacity : 11 oz (400 ml)
- Weight : 0.8 Kg

WX-0864A-13

- Alum Tube : 50.5 x 310 mm L
- Capacity : 13 oz (500 ml)
- Weight : 0.9 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Line Type



Air Caulking Gun. (For Sachet only)

WX-0866B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 0.85 Kg

WX-0866B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 0.95 Kg

WX-0866B-13

- Alum Tube : 50.5 x 355 mm L
- Capacity : 600 ml Sachet
- Weight : 1.05 Kg

WX-0866B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.15 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Line Type



Air Caulking Gun. (For Sachet only)

WX-0865B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 0.75 Kg

WX-0865B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 0.85 Kg

WX-0865B-13

- Alum Tube : 50.5 x 355 mm L
- Capacity : 600 ml Sachet
- Weight : 0.95 Kg

WX-0865B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.05 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Line Type



Air Caulking Gun. (For Cartridge & Sachet)

WX-0880A-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.1 Kg

WX-0880A-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.2 Kg

WX-0880A-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.3 Kg

- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Line Type



Air Caulking Gun. (For Cartridge & Sachet)

WX-0881A-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.2 Kg

WX-0881A-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0881A-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg

- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP

New Products

New Products



NEW



Piston Type

Air Caulking Gun. (For Cartridge only)

WX-0867B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 1.1 Kg

WX-0867B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 0.9 Kg

WX-0867B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.3 Kg

WX-0867B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.4 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Piston Type

Air Caulking Gun. (For Cartridge only)

WX-0868B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 1.2 Kg

WX-0868B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 1.3 Kg

WX-0868B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.4 Kg

WX-0868B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.5 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Line Type

Air Caulking Gun. (For Sachet only)

WX-0874B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 0.85 Kg

WX-0874B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 0.95 Kg

WX-0874B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.05 Kg

WX-0874B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.15 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Piston Type

Air Caulking Gun. (For Sachet only)

WX-0873B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 1.2 Kg

WX-0873B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 1.3 Kg

WX-0873B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.4 Kg

WX-0873B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.5 Kg
- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Piston Type

Air Caulking Gun. (For Cartridge & Sachet)

WX-0858A-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.1 Kg

WX-0858A-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.2 Kg

WX-0858A-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.3 Kg

- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP



Piston Type

Air Caulking Gun. (For Cartridge & Sachet)

WX-0869A-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.2 Kg

WX-0869A-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0869A-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg

- Working Pressure : 45-60 PSI (3-4 bar)
- Recomm Compressor : 0.5 HP

New Products

New Products



Air Sprayer & Caulking Gun. (For Cartridge only)

WX-0877A-09

- Alum Tube : 50.5 x 210 mm L
- Capacity : 9 oz (310 ml)
- Weight : 1.2 Kg

WX-0877A-11

- Alum Tube : 50.5 x 260 mm L
- Capacity : 11 oz (400 ml)
- Weight : 1.3 Kg

WX-0877A-13

- Alum Tube : 50.5 x 310 mm L
- Capacity : 13 oz (500 ml)
- Weight : 1.3 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP

NEW



Air Sprayer & Caulking Gun. (For Cartridge only)

WX-0861A-09

- Alum Tube : 50.5 x 210 mm L
- Capacity : 9 oz (310 ml)
- Weight : 1.1 Kg

WX-0861A-11

- Alum Tube : 50.5 x 260 mm L
- Capacity : 11 oz (400 ml)
- Weight : 1.2 Kg

WX-0861A-13

- Alum Tube : 50.5 x 310 mm L
- Capacity : 13 oz (500 ml)
- Weight : 1.3 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP



Line Type



Air Sprayer & Caulking Gun. (For Sachet only)

WX-0863B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 1.15 Kg

WX-0863B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 1.25 Kg

WX-0863B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.35 Kg

WX-0863B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.45 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP



Line Type



Air Sprayer & Caulking Gun. (For Sachet only)

WX-0878B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 400 ml Sachet
- Weight : 1.2 Kg

WX-0878B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 500 ml Sachet
- Weight : 1.3 Kg

WX-0878B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 600 ml Sachet
- Weight : 1.4 Kg

WX-0878B-15

- Alum Tube : 50.5 x 385 mm L
- Capacity : 800 ml Sachet
- Weight : 1.5 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP

New Products

New Products



Piston Type

3 IN 1 Air Sprayer & Caulking Gun. (For Cartridge & Sachet) WX-0862B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.25 Kg

WX-0862B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0862B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP



Piston Type

3 IN 1 Air Sprayer & Caulking Gun. (For Cartridge & Sachet) WX-0870B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.25 Kg


WX-0870B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0870B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP

NEW



Line Type

3 IN 1 Air Sprayer & Caulking Gun. (For Cartridge & Sachet) WX-0875B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.25 Kg

WX-0875B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0875B-13

- Alum Tube : 50.5 x 310 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP



Line Type

3 IN 1 Air Sprayer & Caulking Gun. (For Cartridge & Sachet) WX-0876B-09

- Alum Tube : 50.5 x 235 mm L
- Capacity : 310 ml Cartridge, 400 ml Sachet
- Weight : 1.2 Kg

WX-0876B-11

- Alum Tube : 50.5 x 285 mm L
- Capacity : 400 ml Cartridge, 500 ml Sachet
- Weight : 1.3 Kg

WX-0876B-13

- Alum Tube : 50.5 x 335 mm L
- Capacity : 500 ml Cartridge, 600 ml Sachet
- Weight : 1.4 Kg
- Working Pressure : 45-60 PSI (3-4 bar) for Caulking Gun
- Working Pressure : 60-90 PSI (4-6 bar) for Sprayer
- Recom Compressor : min 1.0 HP



Air Caulking Gun. (For Cartridge Only) WX-0835N

- Steel Tube : 50.5 x 210 mm L
- Capacity : 9 oz (310 ml)
- Weight : 1.6 Kg
- Working Pressure : 45-60 psi (3-4 bar)
- Recom Compressor : 0.5 HP



Manual Caulking Gun, Non-Drop WX-T1002

- Capacity : 9 oz (310 ml)
- Weight : 0.35 Kg
- Packing : 8.5/9.3 kg / 1.54 / 24 pcs

Manual Caulking Gun, Ratchet Type WX-10-001

- Capacity : 9 oz (310 ml)
- Weight : 0.35 Kg
- Packing : 8.5/9.3 kg / 1.54 / 24 pcs

New Products

New Products



NEW

WX-110-80, 65, 55, 48

- Working Pressure : 80-105 PSI (5-7 bar)
 - Magazine Capacity : 100 pcs
 - Air Inlet : 1/4"
 - Air Hose : 3/8"
 - Length : 315 mm
 - Net Weight : 1.45 Kg
- Fasteners Size**
- Wire Dia : 1.8 mm
 - Shank Height : 12 mm
 - Crown : 23.7 mm
 - Closure Dia : 7.9 mm, (6.5 mm), (5.5 mm), (4.8 mm)

Application
Idea for Spring Car Seats, Spring Mattress Wire Cage, Wire Fence, or any Wire to Cable Applications.



WX-110L-80

- Working Pressure : 80-105 PSI (5-7 bar)
 - Magazine Capacity : 100 pcs
 - Air Inlet : 1/4"
 - Air Hose : 3/8"
 - Length : 332 mm
 - Net Weight : 1.5 Kg
- Fasteners Size**
- Wire Dia : 1.8 mm
 - Shank Height : 12 mm
 - Crown : 23.7 mm
 - Closure Dia : 7.9 mm

Application
Idea for Spring Car Seats, Spring Mattress Wire Cage, Wire Fence, or any Wire to Cable Applications.



WX-112-48, 30, 25, 16

- Working Pressure : 80-105 PSI (5-7 bar)
 - Magazine Capacity : 100 pcs
 - Air Inlet : 1/4"
 - Air Hose : 3/8"
 - Length : 285 mm
 - Net Weight : 1.56 Kg
- Fasteners Size**
- Wire Dia : 1.6 mm
 - Shank Height : 8.5 mm
 - Crown : 16.9 mm
 - Closure Dia : 4.8 mm, (3.0 mm), (2.5 mm), (1.6 mm)

Application
Idea for Spring Car Seats, Spring Mattress Wire Cage, Wire Fence, or any Wire to Cable Applications.

New Products




WX-2682 Air Agitator
- Power : 1.4 HP (0.19 kw)
- Free Speed : 3,000 rpm

WX-2685 Air Agitator
- Power : 1.4 HP (0.19 kw)
- Free Speed : 600 rpm

WX-18
2 in 1 Air Hose
6.5 x 10 mm, Paint
Hose 8 x 11 mm

WX-2670A
Diaphragm Pump
- Capacity : 7.5 l/min
10.5 l/min
- Max Pressure : 75 PSI
WX-2674
Diaphragm Pump - do -
Stainless Steel Material



WX-2680
- Power : 1.4 HP (0.19 kw)
- Free Speed : 3,000 rpm
- Net Weight : 7 Kg

WX-2683
- Power : 1.4 HP (0.19 kw)
- Free Speed : 600 rpm
- Net Weight : 9 Kg

WX-2681
- Power : 1.4 HP (0.19 kw)
- Free Speed : 3,000 rpm
- Net Weight : 4.6 Kg

WX-2684
- Power : 1.4 HP (0.19 kw)
- Free Speed : 600 rpm
- Net Weight : 5.8 Kg



WX-2673 Air Pump
- Output / Stroke : 48 cm³
- Free Delivery : 15 l/min
- Working Pressure : 20 PSI (1.3) min
120 psi (8 bar) max
- Air Consumption : 1.5 l/cycle
- Length of pump tube : 270 x 190 mm
- Net Weight : 2.9 Kg
Suitable for Medium to Low Viscosity Fluid
such as Motor Oil, Solvent, Diesel Oil, ATF,
Chemical... etc.



WX-T01-007
Grease Gun Injection Head
w / Steel Tip
- Capacity : 3.5 oz Cartridge
- Working Temp : -20 ~ -80
- Net Weight : 100 g



WX-T01-006
Mini Grease Gun
- Capacity : 80 ml bulk
- Working Pressure : 1,000 PSI
(66 bar)
- Net Weight : 0.28 Kg

New Products



WX-2614T 4L Pressure Tank
 - Mixer : None
 - Max Pressure : 80 PSI (5.3 bar)
 - Incl. S.St Inner Tank
WX-2641F - do - w/o Inner Tank
WX-2619T - 10L Pressure Tank
 Incl. S.St Inner Tank
WX-2619F - do - w/o Inner Tank

NEW



WX-2616F 10L Pressure Tank
 - Mixer : None
 - Max Pressure : 50 PSI (3.3 bar)

WX-2615T 10L Pressure Tank
 - Mixer : None
 - Max Pressure : 80 PSI (5.3 bar)
 - Incl. S.St Inner Tank
WX-2615F - do - w/o Inner Tank



WX-2640F 4L Pressure Tank
 - Mixer : None
 - Max Pressure : 80 PSI (5.3 bar)



WX-2618T 10L Pressure Tank
 - Mixer : None
 - Max Pressure : 80 PSI (5.3 bar)
 - Incl. S.St Inner Tank
WX-2618F - do - w/o Inner Tank

WX-2641F 10L Pressure Tank
 - Mixer : None
 - Max Pressure : 80 PSI (5.3 bar)
WX-2642F - 20L Pressure Tank
WX-2644F - 40L Pressure Tank



WX-2621T 4L Pressure Tank
 - Mixer : Manual
 - Max Pressure : 80 PSI (5.3 bar)
WX-2622T - 20L Pressure Tank
WX-2624T - 40L Pressure Tank
WX-2626T - 60L Pressure Tank
WX-2628T - 80L Pressure Tank
 All Range Incl. S.St Inner Tank



WX-2651F 10L Pressure Tank
 - Mixer : Manual
WX-2652F 20L Pressure Tank
 - Mixer : Manual
WX-2654F 40L Pressure Tank
 - Mixer : Manual
 - Max Pressure : 80 PSI (5.3 bar)



WX-2631T 10L Pressure Tank
 - Mixer : Air
 - Max Pressure : 80 PSI (5.3 bar)
WX-2632T - 20L Pressure Tank
WX-2634T - 40L Pressure Tank
WX-2636T - 60L Pressure Tank
WX-2638T - 80L Pressure Tank
 All Range Incl. S.St Inner Tank

WX-2661F 10L Pressure Tank
 - Mixer : Pneumatic
 - Max Pressure : 80 PSI (5.3 bar)
WX-2662F 20L Pressure Tank
WX-2664F 40L Pressure Tank



New Products

New Products



NEW



WX-2611S 21 S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)
WX-2614S 4L S.St Pressure Tank



WX-2640S 4L S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)

WX-2618S 10L S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)



WX-2641S 10L S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)



WX-2612S 20L S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)
WX-2617S 50L S.St Pressure Tank

WX-2642S 20L S.St Pressure Tank
- Mixer : None
- Max Pressure : 80 PSI (5.3 bar)
WX-2645S 50L S.St Pressure Tank
- Max Pressure : 80 PSI (5.3 bar)



WX-2621S 10L S.St Pressure Tank
- Mixer : Manual
- Max Pressure : 80 PSI (5.3 bar)
WX-2622S 20L S.St Pressure Tank
WX-2625S 50L S.St Pressure Tank



WX-2651S 10L S.St Pressure Tank
- Mixer : Manual
- Max Pressure : 80 PSI (5.3 bar)
WX-2652s 20L S.St Pressure Tank
WX-2655s 50L S.St Pressure Tank



WX-2631S 10L S.St Pressure Tank
- Mixer : Pneumatic
- Max Pressure : 80 PSI (5.3 bar)
WX-2632S 20L S.St Pressure Tank
WX-2635S 50L S.St Pressure Tank

WX-2661S 10L S.St Pressure Tank
- Mixer : Pneumatic
- Max Pressure : 80 PSI (5.3 bar)
WX-2662S 20L S.St Pressure Tank
WX-2665S 50L S.St Pressure Tank



New Products

New Products



WX-G118
1/4" Air Regulator (Brass)
WX-G118A - do - (Alum)



WX-G132A
1/4" Swivel Connector
w/o Regulator



WX-G133A
1/4" Swivel Connector
w/Regulator



WX-G170
Single Suction Pad
- Capacity : 40 Kg

PROFESSIONAL PNEUMATIC TOOLS



WX-G2148
3-Way Coupler set
WX-G2148A - do - One
Touch Type
WX-G2148R - do - Germany
Type



WX-G2149
4-Way Coupler set
WX-G2149A - do - One
Touch Type
WX-G2149R - do - Germany
Type



WX-G2150
5-Way Coupler set
WX-G2150A - do - One
Touch Type
WX-G2150R - do - Germany
Type



WX-G2152
6-Way Coupler set
WX-G2152A - do - One
Touch Type
WX-G2152R - do - Germany
Type



WX-2162
2-Way Swivel Coupler set
NITTO Type
WX-G2162A - do - One
Touch Type
WX-G2162R - do - Germany
Type



WX-2163
3-Way Swivel Coupler set
NITTO Type
WX-G2163A - do - One
Touch Type
WX-G2163R - do - Germany
Type



WX-2170
2-Way Coupler set
WX-G2170A - do - One
Touch Type
WX-G2170R - do - Germany
Type



WX-2172
2-Way Coupler set
WX-G2172A - do - One
Touch Type
WX-G2172R - do - Germany
Type

NEW

New Products

NEW



WX-0802L Compression Riveter

- Rivet Capacity : 3.17 mm (1/8") Alum
2.36 mm (3/32") Steel
- Standard Yoke : 76.2 mm (3") Depth
17.45 mm (1-1/16") Depth
- Max Force at 6.2 bar : 3,000 PSI (13.35 KN)
- Set Holder : 14.27 mm (9/16") Max Travel
1.57 mm (1/16") Stroke
- Overall Length : 260 mm
- Net Weight : 2.04 Kg



WX-0802M Compression Riveter

- Rivet Capacity : 3.17 mm (1/8") Alum
2.36 mm (3/32") Steel
- Standard Yoke : 63.5 mm (2.5") Depth
17.45 mm (1-1/16") Depth
- Max Force at 6.2 bar : 3,000 PSI (13.35 KN)
- Set Holder : 14.27 mm (9/16") Max Travel
1.57 mm (1/16") Stroke
- Overall Length : 260 mm
- Net Weight : 2.04 Kg



Undercoating Gun

WX-0837 (USA Type)

- Canister Thread : M42 x 6P
- Tube Length : 206 mm

WX-0837E (Europe Type)

- Canister Thread : M39 x 6P
- Tube Length : 252 mm

New Products



WX-0102HK2 150 mm Air Hammer Kit

- Include :
- 1 pc x WX-0102H
- 4 pcs x 5" Cr-Mo Chisels w / Hex Shank



WX-0102H 150 mm Air Hammer

- Hex Opening 10.4 mm
- Free Speed : 4,500 bpm
- Stroke : 41 mm
- Air Consumption : 157 l/min
- Weight : 1.3 Kg



PROFESSIONAL PNEUMATIC TOOLS



WX-0102RK2 150 mm Air Hammer Kit

- Include :
- 1 pc x WX-0102R
- 4 pcs x 5" Cr-Mo Chisel w/ Hex Shank

WX-0102R 150 mm Air Hammer

- Round Opening 10.2 mm
- Free Speed : 4,500 bpm
- Stroke : 41 mm
- Air Consumption : 157 l/min
- Weight : 1.3 Kg



WX-0109S Air Chipping Hammer (Quick Change Type)

- Free Speed : 3,000 bpm
- Piston Dia : 28.6 mm
- Stroke : 45 mm
- Chisel Shank Hex : 12 x 46 mm
- Chisel Shank Round : 14 x 46 mm
- Air Consumption : 400 l/min
- Weight : 2.6 Kg
- Length : 243 mm



WX-0109 Air Chipping Hammer

- Free Speed : 3,000 bpm
- Piston Dia : 20 mm
- Stroke : 65 mm
- Chisel Shank Hex : 12 x 46 mm
- Chisel Shank Round : 14 x 46 mm
- Air Consumption : 400 l/min
- Weight : 2.6 Kg
- Length : 243 mm



WX-0106 Air Gasket Scraper

- Free Speed : 4,000 bpm
- Stroke : 15 mm
- Air Consumption : 113 l/min
- Weight : 0.8 Kg

WX-0106K Air Gasket Scraper Kit

- Content : 1pc x WX-0106
- 4 pcs x Blades
- 1 pc x Nipple
- 1 pc x Mini Oiler
- 1 pc x Hex Wrench
- 1 pc x Blow Case
- Weight : 1.4 Kg

New Products



WX-0111 Air Chipping Hammer

- Free Speed : 2,940 pbm
- Piston Stroke : 46 mm
- Piston Dia : 27.9 mm
- Chisel Shank Hex : 14.7 mm
- Chisel Shank Round : 17.3 mm
- Avg Air Consumption : 480 l/min
- Length : 390 mm
- Weight : 5.4 kg



WX-0110 Air Chipping Hammer

- Free Speed : 2,820 pbm
- Piston Stroke : 66.3 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 600 l/min
- Length : 308 mm
- Weight : 5.5 Kg



WX-0121 Air Chipping Hammer

- Free Speed : 2,400 pbm
- Piston Stroke : 77 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 960 l/min
- Length : 365 mm
- Weight : 8.04 kg



WX-0120 Air Chipping Hammer

- Free Speed : 2,400 pbm
- Piston Stroke : 91.7 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 600 l/min
- Length : 327 mm
- Weight : 5.9 kg



WX-0125-3 60 Lbs Paving Breaker

- Free Speed : 1,400 pbm
- Stroke : 100 mm (4")
- Piston Dia : 57.15 mm (2-1/4")
- Shank Size : 32 mm (1-1/4" x 6)
- Avg Air Consumption : 1.7 l/min
- Length : 645 mm
- Weight : 30 kg



WX-0125-2 60 Lbs Paving Breaker

- Free Speed : 1,400 pbm
- Stroke : 100 mm (4")
- Piston Dia : 57.15 mm (2-1/4")
- Shank Size : 28 mm (1-1/8" x 6)
- Avg Air Consumption : 1.7 l/min
- Length : 645 mm
- Weight : 30 kg



WX-0126-3 90 Lbs Paving Breaker

- Free Speed : 1,250 pbm
- Stroke : 152 mm (6")
- Piston Dia : 66.67 mm (2-3/5")
- Shank Size : 32 mm (1-1/4" x 6)
- Avg Air Consumption : 2.2 l/min
- Length : 723 mm
- Weight : 42 kg



WX-0126-2 90 Lbs Paving Breaker

- Free Speed : 1,250 pbm
- Stroke : 152 mm (6")
- Piston Dia : 66.67 mm (2-3/5")
- Shank Size : 28 mm (1-1/8" x 6)
- Avg Air Consumption : 2.2 l/min
- Length : 723 mm
- Weight : 42 kg

New Products



WX-0131 Air Chipping Hammer

- Free Speed : 2,280 pbm
- Stroke : 94 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 934 l/min
- Length : 400 mm
- Weight : 8.5 kg



WX-0130 Air Chipping Hammer

- Free Speed : 1,920 pbm
- Stroke : 94 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 700 l/min
- Length : 378 mm
- Weight : 6.5 kg



WX-0141 Air Chipping Hammer

- Free Speed : 1,500 pbm
- Stroke : 102 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 860 l/min
- Length : 425 mm
- Weight : 8.88 kg



WX-0140 Air Chipping Hammer

- Free Speed : 1,500 pbm
- Stroke : 102 mm
- Piston Dia : 28.5 mm
- Chisel Shank Hex : 14.7 x 60 mm
- Chisel Shank Round : 17.3 x 60 mm
- Avg Air Consumption : 800 l/min
- Length : 410 mm
- Weight : 7.0 kg



WX-0152 Air Scaling Hammer

- Free Speed : 7,200 pbm
- Air Inlet : 1/4"
- Vibration Level : 35.1 m/s²
- Length : 480 mm
- Weight : 2.4 kg



WX-0143 Air Gasket Scraper

- Free Speed : 5,500 pbm
- Stroke : 15 mm
- Air Consumption : 128 l/min
- Weight : 0.6 kg



WX-0145 Concrete Breaker

- Free Speed : 1,300 pbm
- Stroke : 151 mm
- Piston Dia : 35 mm
- Shank Size : 26 mm
- Avg Air Consumption : 1.1 l/min
- Length : 438 mm
- Weight : 14.1 kg



WX-0146 Concrete Breaker

- Free Speed : 1,000 pbm
- Stroke : 235 mm
- Piston Dia : 40 mm
- Shank Size : 30 mm
- Avg Air Consumption : 1.23 l/min
- Length : 590 mm
- Weight : 24.6 kg

New Products

New Products



WX-0159-40 Air Sand Rammer
 - Free Speed : 1,000 pbm
 - Stroke : 65 mm
 - Piston Dia : 22 mm
 - Avg Air Consumption : 500 l/min
 - Length : 500 mm
 - Weight : 2.95 kg



WX-0158 Air Sand Rammer
 - Free Speed : 1,500 pbm
 - Stroke : 50 mm
 - Piston Dia : 18 mm
 - Avg Air Consumption : 400 l/min
 - Length : 280 mm
 - Weight : 1.6 kg



WX-0159L-40 Extension Sand Rammer
 - Free Speed : 1,000 pbm
 - Stroke : 65 mm
 - Piston Dia : 22 mm
 - Avg Air Consumption : 500 l/min
 - Length : 870 mm
 - Weight : 3.75 kg



WX-0159-60 Air Sand Rammer
 - Free Speed : 1,000 pbm
 - Stroke : 65 mm
 - Piston Dia : 22 mm
 - Avg Air Consumption : 500 l/min
 - Length : 380 mm
 - Weight : 2.95 kg



WX-0160-65 Air Sand Rammer
 - Free Speed : 800 pbm
 - Stroke : 100 mm
 - Piston Dia : 25.4 mm
 - Avg Air Consumption : 700 l/min
 - Length : 500 mm
 - Weight : 6 kg



WX-0159L-60 Extension Sand Rammer
 - Free Speed : 1,000 pbm
 - Stroke : 65 mm
 - Piston Dia : 22 mm
 - Avg Air Consumption : 500 l/min
 - Length : 870 mm
 - Weight : 3.75 kg



WX-160L-65 Extension Sand Rammer
 - Free Speed : 800 pbm
 - Stroke : 100 mm
 - Piston Dia : 25.4 mm
 - Avg Air Consumption : 700 l/min
 - Length : 1060 mm
 - Weight : 8 kg



WX-0160-69 Air Sand Rammer
 - Free Speed : 800 pbm
 - Stroke : 100 mm
 - Piston Dia : 25.4 mm
 - Avg Air Consumption : 700 l/min
 - Length : 500 mm
 - Weight : 6 kg



WX-161L-65 Extension Sand Rammer
 - Free Speed : 700 pbm
 - Stroke : 125 mm
 - Piston Dia : 32 mm
 - Avg Air Consumption : 850 l/min
 - Length : 1060 mm
 - Weight : 9.79 kg



WX-160L-69 Extension Sand Rammer
 - Free Speed : 800 pbm
 - Stroke : 100 mm
 - Piston Dia : 25.4 mm
 - Avg Air Consumption : 700 l/min
 - Length : 1060 mm
 - Weight : 8 kg

New Products

New Products



WX-0206 Riveting Hammer (5x)

- Free Speed : 1,600 bpm
- Stroke : 68.3 mm
- Piston Dia : 16 mm
- Chisel Shank : 0.498"
- Rivet Nuts : Steel 3/16, Alum. 1/4
- Avg Air Consumption : 170 l/min
- Air Pressure : 9.5 mm
- Weight : 2.1 kg



WX-0172 Auto Hammer

- Free Speed : 1,000 bpm
- Weight : 1 Kg
- Include :
- 1 pc x P0172-AI
- 1 pc x P0172-M



WX-0208 Riveting Hammer (9x)

- Free Speed : 900 bpm
- Stroke : 147.6 mm
- Piston Dia : 19 mm
- Chisel Shank : 0.498"
- Rivet Nuts : Steel 5/16, Alum. 3/8
- Avg Air Consumption : 170 l/min
- Air Pressure : 9.5 mm
- Weight : 2.5 kg
- Length : 284 mm



WX-0207 Riveting Hammer (7x)

- Free Speed : 1,140 bpm
- Stroke : 98.4 mm
- Piston Dia : 19 mm
- Chisel Shank : 0.498"
- Rivet Nuts : Steel 1/4, Alum. 5/16
- Avg Air Consumption : 170 l/min
- Air Pressure : 9.5 mm
- Weight : 2.4 kg



WX-0214HK2 190 mm Air Hammer Kit

- Include :
- 1 pc x WX-0214H-B
- 4 pcs x 5" Cr-Mo Chisel w/ Hex Shank



WX-0214H-B 190 mm Air Hammer

- Free Speed : 3,000bpm
- Stroke : 66 mm
- Hex Opening : 10.4 mm
- Avg Air Consumption : 157 l/min
- Weight : 1.9 kg



WX-0214RK2 190 mm Air Hammer Kit

- Include :
- 1 pc x WX-0214R-B
- 4 pcs x 5" Cr-Mo Chisel w/ Hex Shank



WX-0214R-B 190 mm Air Hammer

- Free Speed : 3,000bpm
- Stroke : 66 mm
- Hex Opening : 10.2 mm
- Avg Air Consumption : 157 l/min
- Weight : 1.9 kg

New Products

New Products



WX-0216 Riveting Hammer (2X)

- Free Speed : 2,580 pbm
- Stroke : 57.2 mm
- Piston Dia : 12.7 mm
- Chisel Shank : 0.401"
- Avg Air Consumption : 114 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.26 kg
- Length : 170mm



WX-0215 Riveting Hammer (1X)

- Free Speed : 2,850 pbm
- Stroke : 35 mm
- Piston Dia : 14.3 mm
- Chisel Shank : 0.401"
- Avg Air Consumption : 114 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.06 kg
- Length : 115 mm

PROFESSIONAL PNEUMATIC TOOLS



WX-0217 Riveting Hammer (3X)

- Free Speed : 2,160 pbm
- Stroke : 73 mm
- Piston Dia : 12.7 mm
- Chisel Shank : 0.401"
- Avg Air Consumption : 114 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.36 kg
- Length : 186 mm



WX-0216SA Regulated Riveting Hammer

- Free Speed : 2,580 pbm
- Stroke : 57.2 mm
- Piston Dia : 14.3 mm
- Chisel Shank : 0.401"
- Rivet Nuts : Steel 3/32, Alum. 1/8
- Avg Air Consumption : 500 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.26 kg
- Length : 170 mm



WX-0218S Medium Low Vibration Riveting Hammer (4X)

- Free Speed : 1,740 pbm
- Stroke : 77.8 mm
- Piston Dia : 14.3 mm
- Chisel Shank : 0.401"
- Rivet Nuts : Steel 3/16, Alum. 1/4
- Avg Air Consumption : 370 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.39 kg
- Length : 211 mm



WX-0218 Riveting Hammer (4X)

- Free Speed : 1,800 pbm
- Stroke : 77.8 mm
- Piston Dia : 12.7 mm
- Chisel Shank : 0.401"
- Avg Air Consumption : 370 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 1.39 kg
- Length : 211 mm



WX-0221 Riveting Hammer (1X)

- Free Speed : 2,850 pbm
- Stroke : 35 mm
- Piston Dia : 14.3 mm
- Chisel Shank : 0.401"
- Avg Air Consumption : 114 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 0.86 kg
- Length : 160 mm



WX-0220 Riveting Hammer

- Free Speed : 5,400 pbm
- Stroke : 31 mm
- Avg Air Consumption : 85 l/min
- Air Pressure : 90 psi (6.2 bar) mm
- Weight : 0.4 kg
- Length : 170 x 27 x 40mm

New Products

New Products



- WX-0223 Riveting Hammer (3X)**
- Free Speed : 2,160 pbm
 - Stroke : 73 mm
 - Piston Dia : 12.7 mm
 - Shank Opening : 10.2 mm
 - Avg Air Consumption : 350 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.16 kg
 - Length : 231 mm



- WX-0222 Riveting Hammer (2X)**
- Free Speed : 2,580 pbm
 - Stroke : 57.2 mm
 - Piston Dia : 12.7 mm
 - Shank Opening : 10.2 mm
 - Avg Air Consumption : 350 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.06 kg
 - Length : 215 mm



- WX-0233 Low Vibration Air Riveting Hammer**
- Free Speed : 3,960 pbm
 - Stroke : 40 mm
 - Chisel Shank : 10.18 mm
 - Bore Diameter : 15 mm
 - Avg Air Consumption : 170 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.0 kg
 - Length : 180 mm



- WX-0224 Riveting Hammer (4X)**
- Free Speed : 1,740 pbm
 - Stroke : 77.8 mm
 - Piston Dia : 12.7 mm
 - Shank Opening : 10.2 mm
 - Avg Air Consumption : 350 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.27 kg
 - Length : 256 mm



- WX-0235 Low Vibration Air Riveting Hammer**
- Free Speed : 1,440 pbm
 - Stroke : 40 mm
 - Chisel Shank : 10.18 mm
 - Bore Diameter : 15 mm
 - Avg Air Consumption : 594 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.33 kg
 - Length : 280 mm



- WX-0234 Low Vibration Air Riveting Hammer**
- Free Speed : 2,160 pbm
 - Stroke : 102 mm
 - Chisel Shank : 10.18 mm
 - Bore Diameter : 15 mm
 - Avg Air Consumption : 538 l/min
 - Air Pressure : 90 psi (6.2 bar) mm
 - Weight : 1.33 kg
 - Length : 225 mm



- WX-0248HK2 190 mm Air Hammer Kit**
- Include :
 - 1 pc x WX-0248H
 - 4 pcs x 5" Cr-Mo Chisels w/Hex Shank



- WX-0248R 190 mm Air Hammer**
- Free Speed : 3,000 pbm
 - Stroke : 66 mm
 - Round Opening : 10.2 mm
 - Avg Air Consumption : 157 l/min
 - Weight : 1.8kg

New Products

New Products



WX-0303H 250 Air Hammer

- Free Speed : 2,200 pbm
- Stroke : 92 mm
- Hex Opening : 10.4 mm
- Avg Air Consumption : 157 l/min
- Weight : 2.1 kg




WX-0248HK9 Air Hammer Kit

- Include :
- 1 pc x WX-0248H
- 1 pc x Oiler
- 1 pc x Nipple
- 1 pc x PVC Case
- 5 pcs x 7" Chisels



WX-0314H-B 250 Air Hammer

- Free Speed : 2,200 pbm
- Stroke : 92 mm
- Hex Opening : 10.4 mm
- Avg Air Consumption : 157 l/min
- Weight : 2.1 kg



WX-0303R 250 Air Hammer

- Free Speed : 2,200 pbm
- Stroke : 92 mm
- Round Opening : 10.4 mm
- Avg Air Consumption : 157 l/min
- Weight : 2.1 kg



WX-0314R-B 250 Air Hammer

- Free Speed : 2,200 pbm
- Stroke : 92 mm
- Round Opening : 10.4 mm
- Avg Air Consumption : 157 l/min
- Weight : 2.1 kg



WX-0314HK5 250 Air Hammer Kit

- Include :
- 1 pc x WX-0314H-B
- 4 pcs x 5" Cr-Mo Chisels w/ Hex Shank



WX-0312 Air Flux Chipper

- Free Speed : 4,800 pbm
- Stroke : 38 mm
- Air Pressure : 90 psi (6.2 bar)
- Avg Air Consumption : 425 l/min
- Weight : 2.1 kg
- Length : 380 mm



WX-0312X Air Flux Chipper

- Free Speed : 4,600 pbm
- Stroke : 28.6 mm
- Piston Dia : 25.4 mm
- Air Pressure : 90 psi (6.2 bar)
- Avg Air Consumption : 400 l/min
- Weight : 2.0 kg
- Length : 238 mm

New Products

New Products



WX-0316 Air Needle Scaler

- Free Speed : 4,600 pbm
- Piston Stroke : 38 mm
- Needle Size : 3 x 180 mm x 19 pcs
- Air Consumption : 425 l/min
- Air Pressure : 90 psi (6.2 bar)
- Length : 460 mm
- Weight : 2.8 kg



WX-0315 Air Needle Scaler

- Free Speed : 4,000 pbm
- Piston Dia : 25 mm
- Piston Stroke : 34 mm
- Needle Size : 3 x 180 mm x 19 pcs
- Air Consumption : 400 l/min
- Air Pressure : 90 psi (6.2 bar)
- Length : 413 mm
- Weight : 2.6 kg



WX-0317 Air Needle Scaler

- Free Speed : 4,800 pbm
- Needle Size : 3 x 125 mm x 12 pcs
- Length : 290 mm
- Weight : 1.3 kg



WX-0316X Air Needle Scaler

- Free Speed : 4,600 pbm
- Piston Dia : 25.4 mm
- Piston Stroke : 28.6 mm
- Needle Size : 3 x 180 mm x 19 pcs
- Air Consumption : 400 l/min
- Air Pressure : 90 psi (6.2 bar)
- Length : 432 mm
- Weight : 2.8 kg



WX-0320 Air Flux Chipper

- Stroke Speed : 4,800 pbm
- Piston Stroke : 32 mm
- Round Shank Dia : 10.9
- Air Consumption : 56.6 l/min
- Air Pressure : 90 psi (6.2 bar)
- Length : 235 mm
- Weight : 1.10 kg



WX-0318 Air Flux Chipper

- Free Speed : 4,000 pbm
- Piston Stroke : 34 mm
- Piston Dia : 25 mm
- Air Consumption : 400 l/min
- Air Pressure : 90 psi (6.2 bar)
- Length : 190 mm
- Weight : 1.8 kg



WX-0323 Long Scaler Kit

- Content :
- 1 pc x WX-0323 Air Scraper
- 1 pc x Grip Tube 300 mm
- 2 pcs x Grip Tube 500 mm
- 4 pcs x Flat Chisel
- 1 pc x Rubber Handle Grip
- 1 pc x Hex Wrench 6 mm
- 1 pc x Hex Wrench 2.5 mm
- 1 pc x 1/4" Nipple
- 1 pc x Blow Case



WX-0323D Air Flux Chipper

- Stroke Speed : 2,400 pbm
- Piston Stroke : 38 mm
- Length : 11,820 mm

New Products